

Home | Login | Logout | Access Information | Alt

IEEE XPLORE GUIDE

Welcome United States Patent and Trademark Office

SEARCH

≣iSearch Results	BROWSE	;
Results for "((analog and mixed and (trai	nsmission line) and (layout or topology)) <in>ı</in>	metadata)"
Your search matched 7 of 1382205 docum	ents.	
A maximum of 100 results are displayed, 2	5 to a page, sorted by Relevance in Descending	g order.

⊠e-mail

» Search Opti			•
View Session History		Modify S	parch
New Search		((analog a	and mixed and (transmission line) and (layout or topology)) <in>metadata)</in>
		Ch	eck to search only within this results set
» Key		Display F	ormat: © Citation C Citation & Abstract
IEEE JNL	IEEE Journal or Magazine		
IEE JNL	IEE Journal or Magazine	_ view !	selected items Select All Deselect All
IEEE CNF	IEEE Conference Proceeding	V (manual 100)	
IEE CNF	IEE Conference Proceeding	□ 1.	An interconnect-aware methodology for analog and mixed signal design, based on high ban
IEEE STD	IEEE Standard		on-chlp transmission line approach Goren, D.; Zelikson, M.; Galambos, T.C.; Gordin, R.; Livshitz, B.; Amir, A.; Sherman, A.; Wagner, I. Design, Automation and Test in Europe Conference and Exhibition, 2002, Proceedings 4-8 March 2002 Page(s):804 - 811 Digital Object Identifier 10.1109/DATE.2002.998391
·	·		AbstractPlus Full Text: PDF(364 KB) IEEE CNF Rights and Permissions
			On-chlp interconnect-aware design and modeling methodology based on high bandwidth tradevices Goren, D.; Zelikson, M.; Gordin, R.; Wagner, I.A.; Barger, A.; Amir, A.; Livshitz, B.; Sherman, A.; Tr R.; Park, J.; Jordan, D.; Strang, S.; Singh, R.; Dickey, C.; Harame, D.; Design Automation Conference, 2003, Proceedings 2-6 June 2003 Page(s):724 - 727 AbstractPlus Full Text: PDE(448 KB) IEEE CNF Rights and Permissions
		□ 3.	Design and development of optoelectronic mixed signal system-on-package (SOP) lyer, M.K.; Ramana, P.V.; Sudharsanam, K.; Leo, C.J.; Sivakumar, M.; Bryan Lee Sik Pong; Xie Lir Advanced Packaging, IEEE Transactions on [see also Components, Packaging and Manufacturing Advanced Packaging, IEEE Transactions on] Volume 27, Issue 2, May 2004 Page(s):278 - 285 Digital Object Identifier 10.1109/TADVP.2004.831881 AbstractPlus References Full Text: PDF(680 KB) IEEE JNL Rights and Permissions
		4.	Interconnect-aware design methodology for analog and mixed signal design in silicon based high bandwidth on-chip transmission lines Goren, D.; Zelikson, M.; Gordin, R.; Electrical and Electronics Engineers in Israel. 2002. The 22nd Convention of 1 Dec. 2002 Page(s):84 Digital Object Identifier 10.1109/EEEI.2002.1178333 AbstractPlus Full Text: PDF(198 KB) IEEE CNF Rights and Permissions

	Harame, D.; Joseph, A.; Coolbaugh, D.; Freeman, G.; Newton, K.; Parker, S.M.; Groves, R.; Erturk R.; Dickey, C.; Dunn, J.; Subbanna, S.; Zamat, H.; Marangos, V.S.; Doherty, M.M.; Schreiber, O.; D.A.; Meyerson, B.S.; Devices, Circuits and Systems, 2002, Proceedings of the Fourth IEEE International Caracas Confe 17-19 April 2002 Page(s):D052-1 - D052-17 Digital Object Identifier 10.1109/ICCDCS.2002.1004075
	AbstractPlus Full Text: PDF(1514 KB) IEEE CNF Rights and Permissions
6.	An Improved multiline analysis for monolithic inductors Dehan, M.; Raskin, JP.; Huynen, I.; Vanhoenacker-Janvier, D.; <u>Microwave Theory and Techniques, IEEE Transactions on</u> Volume 51, Issue 1, Part 1, Jan. 2003 Page(s):100 - 108 Digital Object Identifier 10.1109/TMTT.2002.806922
	AbstractPlus References Full Text: PDF (775 KB) IEEE JNL Rights and Permissions
7.	Proceedings of International Conference on Computer Aided Design Parallel and Distributed Processing, 1996, Eighth IEEE Symposium on 23-26 Oct. 1996 Digital Object Identifier 10.1109/SPDP.1996.570392 AbstractPlus Full Text: PDE(308 KB) IEEE CNF Rights and Permissions

Indexed by Inspec*

Help Contact Us Privacy

© Copyright 2006 IE



Home | Login | Logout | Access Information | Alt

(2 Name Name)		Welcome United States Patent and Trademark Office								
IESearch Res	ults			BROWSE	SEARCH	IEEE XPLORE GUIDE				
Your search	'((analog and mixed and (ric or ri matched 8 of 1382205 documents of 100 results are displayed, 25 to).		•	er.		⊠e-mail			
» Search Op	tions									
View Sessio	n History	96114								
New Search	·		Modify Search							
		((ana	og ar	nd mixed and (rlc or rcl)) <in>metada</in>	ita)	Search >				
» Other Reso (Available Fo		Displa		ck to search only within this resu	ilts set	act				
Top Book R	esults									
Signal Integral ASIC Design by Singh, R. Hardcover, E.	:		*****	elected items Select A	II <u>Deselect All</u>	vel analycis				
View All 1 R	esult(s)	L		Xin Li; Peng Li; Yang Xu; Pileg Design Automation Conference 2-6 June 2003 Page(s):478 - 4	gi, L.T.; e. 2003, Proceedings					
» Key				AbstractPlus Full Text: PDF(6 Rights and Permissions	35 KB) IEEE CNF					
IEEE JNL	IEEE Journal or Magazine									
IEE JNL	IEE Journal or Magazine		2.	An interconnect-aware metho		nd mixed signal design, based o	on high ban			
IEEE CNF	IEEE Conference Proceeding					Livshitz, B.; Amir, A.; Sherman, A	.; Wagner, I.			
IEE CNF	IEE Conference Proceeding			Design, Automation and Test in 4-8 March 2002 Page(s):804 - 8		nd Exhibition, 2002, Proceedings	:			
IEEE STD	IEEE Standard			Digital Object Identifier 10.1109						
				AbstractPlus Full Text: PDF(3) Rights and Permissions	64 KB) IEEE CNF					
			3.	Design strategies and decouple's Ingels, M.; Steyaert, M.S.J.; Solid-State Circuits, IEEE Journ Volume 32, Issue 7, July 1997 Digital Object Identifier 10.1109	n <u>al of</u> Page(s):1136 - 1141	educing the effects of electrica	l interferen			
				AbstractPlus References Full Rights and Permissions	Text: <u>PDF(</u> 228 KB)	IEEE JNL				
	·		4.	Ripple feedback filter suitable Nam-In Kim; Sang-Hwa Jung; J Power Electronics Specialists C Volume 1, 23-27 June 2002 Pa Digital Object Identifier 10.1109 AbstractPlus Full Text: PDF (45	i-Yeoul Ryoo; Gyu-Hye onference, 2002, pesc ge(s):45 - 49 vol.1 /PSEC.2002.1023845	• '	nproved ef			
			_	Rights and Permissions						
			5.	interconnect-aware design me	ethodology for analog	g and mixed signal design in si	licon baser			

high bandwidth on-chip transmission lines Goren, D.; Zelikson, M.; Gordin, R.;

Electrical and Electronics Engineers in Israel, 2002. The 22nd Convention of

	1 Dec. 2002 Page(s):84 Digital Object Identifier 10.1109/EEEI.2002.1178333
	AbstractPlus Full Text: PDF (198 KB) IEEE CNF Rights and Permissions
6.	Improved global rational approximation macromodeling algorithm for networks characterize sampled data Etzinga, M.; Virga, K.L.; Prince, J.L.; Microwave Theory and Techniques, IEEE Transactions on Volume 48, Issue 9, Sept. 2000 Page(s):1461 - 1468 Digital Object Identifier 10.1109/22.868995
	AbstractPlus References Full Text: PDF(164 KB) IEEE JNL Rights and Permissions
7.	Enhanced two-graph theory for symbolic analysis of electrical networks Giomi, R.; Luchetta, A.; <u>Design of Mixed-Mode Integrated Circuits and Applications, 1999, Third International Workshop on</u> 26-28 July 1999 Page(s):44 - 47 Digital Object Identifier 10.1109/MMICA.1999.833591
	AbstractPlus Full Text: PDF(272 KB) IEEE CNF Rights and Permissions
8.	A monolithic RF image-reject filter Yuyu Chang; Choma, J., Jr.; Mixed-Signal Design. 2000. SSMSD. 2000 Southwest Symposium on 27-29 Feb. 2000 Page(s):41 - 44 Digital Object Identifier 10.1109/SSMSD.2000.836443
	AbstractPlus Full Text: PDF(152 KB) IEEE CNF Rights and Permissions

Indexed by Inspec*

Help Contact Us Privacy

© Copyright 2006 IE



Welcome United States Patent and Trademark Office

Home | Login | Logout | Access Infor

dvand	eed Search	BROWSE	SEARCH	IEEE XPLORE GUIDE
Ø	OPTION 1 Enter keywords or phrases, select fields, and select operator	rs	② Help	» Publications
	In All Fields	§		Select publicationsIEEE Periodicals
	AND in All Fields			✓ IEE Periodicals✓ IEEE Conference Proce
	AND In All Fields	Ø		IEE Conference Proceed
				▼ IEEE Standards
	$\ensuremath{\mathfrak{v}}$ Note: If you use all three search boxes, the entries in the first two ver the entry in the third box.	vo boxes take precedence	3	» Other Resources (Available for F
(OPTION 2 Enter keywords, phrases, or a Boolean expression		? Help	» Select date range
	analog and mixed and (transmiss: and (layout or topology or topol geometric or geometrical)			Search latest content update From year All
	goomocrical,	īs.	<u></u>	to Present [EX
		4	**	» Display Format
				© Citation Citation
	» Note: You may use the search operators <and> or <or> without the start and end brackets <>.</or></and>			» Organize results
	» Learn more about Field Codes, Search Examples, and Search	<u>Operators</u>		Maximum 100
				Display 25 Fee resul

Help Contact L

In Descending

Sort by Relevance

© Copy

indexed by inspec*



SEARCH

Home | Login | Logout | Access Infor

IEEE XPLORE GUIDE

BROWSE

OPTION 1 » Publications ? Help Enter keywords or phrases, select fields, and select operators Select publications **\$** in All Fields ✓ IEEE Periodicals ✓ IEE Periodicals ŧ AND []▼* in All Fields ✓ IEEE Conference Proce ✓ IEE Conference Procee AND 🔻 in All Fields **▼** IEEE Standards D Other Resources (Available for F » Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box. ▼ IEEE Books **OPTION 2** (2) Help » Select date range Enter keywords, phrases, or a Boolean expression C Search latest content update analog and mixed and (transmission line) From year All 🔯 and (rlc or rcl) to Present 🔯 $\overline{\mathbf{v}}$ » Display Format Citation Citation » Note: You may use the search operators <and> or <or> » Organize results without the start and end brackets <>. » Learn more about Field Codes, Search Examples, and Search Operators Maximum 100 Display 25

Help Contact L

In Descending

Sort by Relevance

ન્નું વિ Inspec°



Home | Login | Logout | Access Information | Ale

Welcome United States Patent and Trademark Office

整回着Search Results **BROWSE** SEARCH IEEE XPLORE GUIDE Results for "((analog and mixed and (transmission line) and (ric or rcl))<in>metadata)" ☑e-mail Your search matched 2 of 1382205 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. » Search Options View Session History **Modify Search** New Search ((analog and mixed and (transmission line) and (rlc or rcl))<in>metadata) Search) > Check to search only within this results set » Key Display Format: Citation Citation & Abstract IEEE JNL IEEE Journal or Magazine IEE JNL IEE Journal or Magazine view selected items Select All Deselect All IEEE CNF IEEE Conference Proceeding **IEE CNF** IEE Conference Proceeding 1. An interconnect-aware methodology for analog and mixed signal design, based on high ban **IEEE STD** IEEE Standard on-chip transmission line approach Goren, D.; Zelikson, M.; Galambos, T.C.; Gordin, R.; Livshitz, B.; Amir, A.; Sherman, A.; Wagner, I. Design. Automation and Test in Europe Conference and Exhibition, 2002, Proceedings 4-8 March 2002 Page(s):804 - 811 Digital Object Identifier 10.1109/DATE.2002.998391 AbstractPlus | Full Text: PDF(364 KB) | IEEE CNF Rights and Permissions 2. Interconnect-aware design methodology for analog and mixed signal design in silicon based high bandwidth on-chip transmission lines Goren, D.; Zelikson, M.; Gordin, R.; Electrical and Electronics Engineers in Israel, 2002. The 22nd Convention of 1 Dec. 2002 Page(s):84

> Digital Object Identifier 10.1109/EEEI.2002.1178333 AbstractPlus | Full Text: PDF(198 KB) | IEEE CNF

Rights and Permissions

Help Contact Us

Copyright 2006 IE

Privacy

Indexed by inspec*



none	ı	LOGIII	ı	rogon	ı	Access	Info

Welcome United States Patent and Trademark Office **☑**☐3Advanced Search **BROWSE** SEARCH IEEE XPLORE GUIDE OPTION 1 » Publications ? Help Enter keywords or phrases, select fields, and select operators Select publications In All Fields ▼ IEEE Periodicals ✓ IEE Periodicals AND I in All Fields ☑ IEEE Conference Proce AND 🖂 ✓ IEE Conference Procee In All Fields IEEE Standards » Other Resources (Available for F » Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box. ✓ IEEE Books **OPTION 2** (2) Help » Select date range Enter keywords, phrases, or a Boolean expression C Search latest content update analog and mixed and (rlc or rcl) From year All to Present Y » Display Format © Citation Citation » Note: You may use the search operators <and> or <or> without the start and end brackets <>. » Organize results » Learn more about Field Codes, Search Examples, and Search Operators Maximum 100 Display 25 Sort by Relevance

園 Inspec®

Copy

Contact L

In Descending

Help